

# Door/Window Sensor

TX-E Series



## OVERVIEW

The TX-E Series Door/Window Sensor from Interlogix is a compact, low profile contact that provides intrusion detection for application in homes and small businesses. This sensor comes with both white and brown covers and can easily be installed on doors, windows, cabinets or other items that can be opened and closed. The TX-E Series Door/Window Sensor also contains a replaceable lithium battery that lasts up to five years under normal usage.

## Specifications

Compatibility	Interlogix Learn-Mode panels and receivers
Frequency	319MHz (Crystal based)
Battery	CR2032
Battery Life	5 years, typical
Operating Temperature	32°F (0°C) to 120°F (49°C)
Operating Humidity	5-95% non condensing
Weight	1.0 oz.
Sensor Dimensions (WxHxD)	2.25 x 1.0 x 0.25 in. (5.715 x 2.54 x 0.635 cm)
Magnet Dimensions (WxHxD)	1.37 x 0.5 x 0.25 in. (3.47 x 1.27 x 0.635 cm)
Color	White and Brown cases
Magnet type	N48 rare earth
Magnet gap	0.625 in. maximum
Approvals	FCC/IC

## STANDARD FEATURES

- Field proven wireless technology
- Snap on, interchangeable covers (white and brown)
- Case tamper
- Replaceable battery with up to 5 years of battery life (based on usage)
- 2 year warranty

## Ordering Information

<b>TX-E201</b>	Door/Window Sensor
----------------	--------------------

[interlogix.com](http://interlogix.com)

Specifications subject to change without notice.

© 2016 United Technologies Corporation.  
All rights reserved.

All trademarks are the property of their respective owners.  
Interlogix is part of UTC Climate, Controls & Security  
a unit of United Technologies Corporation.

2016/05 (LI-1705)